

**Rising Sun City Council**  
**March 6, 2008**  
**7:00 P.M.**  
**City Hall**

**Call to order/Pledge**

The meeting was called to order with the Pledge of Allegiance led by Mayor Marksberry with all of Council present.

**Minutes**

Minutes of the February 2<sup>nd</sup> joint City County meeting had been previously distributed to Council and Mayor Marksberry. After discussion a motion was made by Councilman Slack to approve the February 2<sup>nd</sup> joint City County minutes as written, 2<sup>nd</sup> by Councilman Graves; motion carried 5-0.

**Reports of Committees, Boards, & Departments**

**Port Authority**

No one present to give report.

**EDC—Gary Green**

Gary Green, EDC President presented an Interlocal Cooperation Agreement prepared by Ron Hocker for EDC. This enables the City to be the fiscal office of the EDC Board. The County will treat EDC as a pie chart recipient with quarterly distributions which will be deposited with in the City EDC Fund. to transfer funds on a quarterly basis. Attorney Siekman stated he had reviewed the document and felt it was in order. After discussion a motion was made by Councilman Padgett to give Mayor Marksberry authority to sign the Interlocal Cooperation Agreement to begin this process, 2<sup>nd</sup> by Councilman Powell; motion carried 5-0. Green will take the document to the County for approval as well.

**Utility Service Board**

Trey Clifton, Utility Superintendent, presented information for 2 possible projects:

**Project 1.** Overhead Electric Upgrade Project –costs from Alpha Engineering. See Attached Exhibit A. Clifton stated right now there is one business that is interested in this –possibly more later. Clifton further stated RSMU have budgeted their 2008 riverboat funds—so the project would have to be funded by the City vs. RSMU. After further discussion it was determined this was something EDC should review. Mayor Marksberry requested Trey and Gary Green work together and look at the parameters of this

project—how many jobs it could create ---and if it is cost effective. See Attached Exhibit A.

**Project 2.** New Water Supply Well—Trey presented information to Mayor Marksberry and Council to review and make a decision at a later meeting. See Attached Exhibit B.

### **Project Manager—Mike Northcutt**

Project Manager Mike Northcutt reported on the following items/projects:

- **Presbyterian Church**--Northcutt requested approval of Change Order #7 for the trim in the foyer of the Presbyterian Church Project in the amount of \$1,556. After discussion a motion was made by Councilman Graves to approve this change order, 2<sup>nd</sup> by Councilman Radcliff; motion carried 5-0.

### **Police Department**

Police Chief David Hewitt stated he really had nothing to report this evening.

### **Tourism**

Sherry Timms, Executive Director of Tourism presented a report to Council and Mayor Marksberry. See Attached Exhibit C. Timms stated she had also been working with Karrah White on Death by Chocolate.

### **Historic Downtown Main Street**

Bill Dichtl President of the Historic Downtown Main Street Committee informed Council and Mayor Marksberry the job description and activities of the Main Street Director position have been amended. The Committee would like to offer this position to Linus Fancher. After discussion it was determined this was a Mayor's appointment and didn't need Council approval. Fancher will start work as the Main Street Director March 31<sup>st</sup>. He will work with Tourism and combining these areas. Fancher has a Business Fine Arts and Visual Communications degree.

### **Park Board**

Jamie Bell, Park Director informed the Mayor and Council the Park Board held elections in February: Carl Courtney is President, Dale Shultz is Vice-President, Ben Walton is Treasurer, and Susan Bengsten is Secretary. Bell continues to work on written policies. The Park Board named the Community Park behind the school the "Shiner Community Park". The Park Board voted to hold the Civil War Reenactment in the Community Park. They had 26 rentals in the month of February.

### **Rising Sun Regional Foundation**

Ed Sullivan, Executive Director presented 2007 Annual Reports to the Mayor and Council. He stated April 15<sup>th</sup> is the next grant deadline and April 4<sup>th</sup> and 5<sup>th</sup> is the Dedication Ceremony for the Veterans Tribute Tower.

### **Ohio County Community Foundation**

Peg will address later on the Agenda.

### **Street Commissioner—Paul Bovard**

Paul Bovard presented quotes for pool lockers as follows:

Handling Innovation	\$3,878 per set
Spear	\$4,800 per set
United Industries	\$6,482 per set

One quote had been presented to the Board of Works and they requested additional quotes be sought before a purchase was made. Bovard stated it takes 12 weeks for delivery of the lockers or he would have waited until the next Board of Works meeting and 2 sets of lockers will be ordered. After further discussion Council approved the purchase of 2 sets of lockers from Handling Innovations.

### **Ohio County Community Foundation—Endowment Funds**

Information had been presented to Council at the last meeting with three options of designations for the \$360,000 made on the City Endowment. After discussion it was decided to go with Option C. Council will address this as a Resolution at the April Council meeting. Mayor Marksberry informed Council OCRA representatives will be visiting Rising Sun to discuss options on the Learning Resource Center (Day Care). Peg will be a part of these discussions.

### **Tim Adams—Special Olympics**

Tim Adams presented a Thank You Card to Mayor Marksberry and Council for the donations for the Special Olympics. Nineteen thousand dollars was raised to use for equipment, transportation, and participation in the events. He informed everyone the Lion's Club plans to hold an annual basketball tournament in Rising Sun the 3<sup>rd</sup> Saturday in January.

### **Ordinance 2008-1 “An Ordinance Adopting a PUD—Planned Unit Development District in the City of Rising Sun”—Ron Hocker**

Ron Hocker informed Council the Hyatt/Grand Victoria site needs to be re-zoned from Unit Development Gaming Resort to Unit Development. He stated we are not changing the use but must go through the process of a zone change. Hocker stated this was originally approved in 1995. In 2000 it was extended to 2002—but was never extended after that. In 2004 the Zoning Code was updated—now have Unit Development so we need to re-

zone from Unit Development Gaming Resort. There was a public hearing held February 19<sup>th</sup>.

John Lyons with Hyatt Gaming spoke to the Mayor and Council of expansion of 220 guest rooms at Grand Victoria. This will make the facility more competitive. Pete Ligouri, President of Hyatt Gaming stated the hotel is operated at 100% occupancy. Mid Week there is some flexibility. The feasibility study reinforces the fact that the facility needs more rooms.

According to Ron Hocker if this plan is approved by Council the Plan Commission will act in April on the first part of the plan which is the additional rooms in front. Other sections can be added...with some restrictions. Height restriction be allowed at 75 feet as long as consistent with the project. Councilman Powell questioned Hyatt representatives how long it would be before construction of rooms would start. Pete Ligouri stated they have sent the package for approval to the Corps of Engineers, which could take 4-6 months. He further stated in July/August they will make a decision if they want to move forward with the project. Construction will take 12-14 months from that point. After discussion a motion was made by Councilman Slack to suspend the rules for Second Reading of Ordinance 2008-1 "An Ordinance Adopting a PUD Planned Unit Development District in the City of Rising Sun", 2<sup>nd</sup> by Councilman Graves; motion carried 5-0. After further discussion a motion was made by Councilman Powell to approve Ordinance 2008-1, 2<sup>nd</sup> by Councilman Graves; motion carried 5-0.

There was discussion that the Plan Commission was short one member due to Brian Browning moving outside the County. After discussion Councilman Slack nominated Councilman Radcliff to be a member of the Plan Commission, 2<sup>nd</sup> by Councilman Powell; motion carried 5-0. It was stated there is a Plan Commission meeting Monday night at 6:00 pm in the conference room of the City Administration Offices. Project Manager Mike Northcutt stated he will get Bud past minutes of the Plan Commission for some reference.

**Event Grant 2008-10 "RSHS Prom Committee"—Funding Request—Pam McClure and Debbie Cappel**

Seniors Maggie Sauerhage and Courtney Hochstrasser made a request for \$5,500 for funding for Event Grant 2008-10 "2008 Prom". It was stated the prom was associated with the school but there were no funds available to help with funding the prom and they have started with no funds for the past 2 years. There were 185 in attendance last year. After further discussion a motion was made by Councilman Slack to approve \$5,000 for this funding request, 2<sup>nd</sup> by Councilman Radcliff; motion carried 5-0.

### **Rising Sun Ohio County Life Squad-Kim Smith**

Kim Smith presented the Mayor and Council with a 5 year plan for the Life Squad. She thanked the Mayor and Council for introducing them to the TAPS program. Smith stated the County approved \$65,000. Clerk Gipson stated if the City Council approves the funding—in future years it will be an increase in the pie chart percentage. It was stated that was what the County planned to do as well. After further discussion a motion was made by Councilman Graves to approve the \$65,000 funding request for the Life Squad, 2<sup>nd</sup> by Councilman Radcliff; motion carried 5-0. It was stated these funds will be disbursed on a quarterly basis.

### **Revolving Loan Fund—Kathy McKay**

Kathy McKay reported to Council the Redevelopment Commission Revolving Loan Board makes the following recommendations on funding requests:

- Henrietta Lay of Victoria & Lace Gift Shop \$6,500 for inventory, computer, accounting program, website, advertisement and security system. Recommend approval with 5 Year repayment schedule no collateral required. After discussion a motion was made by Councilman Radcliff to approve this recommendation, 2<sup>nd</sup> by Councilman Graves; motion carried 5-0.
- Traci Marksberry of Dining Right \$100,000 to pay off previously charged equipment. Recommend denial as the request is an ineligible activity pursuant of the Revolving Loan Fund By Laws which states that the Commission may not make loans solely for the refinancing of existing debt. After discussion a motion to approve this recommendation to deny this loan was made by Councilman Slack, 2<sup>nd</sup> by Councilman Radcliff; motion carried 5-0.
- Connie Barker of 2 Hot Properties \$120,000 to be used for down payment and start up for the purchase of Flavors on High Street. Recommend approval with the following stipulations:  
Owner must obtain a current appraisal of the property. The appraisal must support the combined total of; a first mortgage in the applicable amount; which is our loan amount of \$120,000 and the owners required 5% equity. After discussion a motion was made by Councilman Powell to approve the recommendation and stipulations of the RLF Board for this loan, 2<sup>nd</sup> by Councilman Graves; motion carried 5-0.

**MISCELLANEOUS**

Mayor Marksberry informed Council of sponsorship of pee wee League of \$300.

Clerk Gipson informed Council Indiana Association of Cities and Towns would like to bring the Leadership Conference to Rising Sun again in July 2008. The Cost of sponsoring this is \$15,000 from the City and \$5,000 from Grand Victoria. Gipson stated our Lobbyist feels this is a great opportunity for Rising Sun to have contact with local government leaders all over the state. After discussion a motion was made by Councilman Padgett to approve funding for this conference, 2<sup>nd</sup> by Councilman Slack; motion carried 5-0.

There was discussion regarding considering a study of the cost to enclose the City Pool. After discussion Mayor Marksberry appointed Councilman Powell as Chairman for this committee.

**Adjournment**

After the reviewing and signing of claims, and with no further business; a motion to adjourn was made by Councilman Padgett, 2<sup>nd</sup> by Councilman Graves; motion carried 5-0. Meeting adjourned at 9:05pm.

Attest:

---

Rae Baker Gipson,  
Clerk Treasurer

---

William A. Marksberry,  
Mayor



# Alpha Engineering, Inc.

Consulting Engineers

February 26, 2008

Mr. Trey Clifton  
 Rising Sun Municipal Utilities  
 200 North Walnut St.  
 Rising Sun, IN 47040

RE: Overhead Electric Upgrade Project

Dear Mr. Clifton:

The following is an engineering construction estimate for upgrading a portion of the existing overhead electrical system from single-phase 7.6kv to three-phase 13.2kv. The reason is to serve future business and commercial expansions and to increase system capacity and reliability. The construction type is wood poles; this would be the most economical way of cleaning up this part of the system. If steel poles were used it would increase the cost 20%. Although not evaluated, underground would be as much as 300% more than overhead.

Project #1, referred as the complete job, would begin at 6<sup>th</sup> and Short St. and continue southwest to the city parking lot one block past Plum St. and east of Poplar St. Also, along First St. one-half block east and west of Poplar St.

Project #2, referred as the North job, would begin at 6<sup>th</sup> and Short St. and continue southwest to Main St.

<u>Description</u>	<u>Labor</u>	<u>Material</u>	<u>Subtotal</u>	<u>Engineering</u>	<u>Est. Total</u>
Project #1	\$ 80,700	\$ 44,100	\$ 124,800	\$ 15,000	\$ 137,800
Project #2	\$ 42,900	\$ 23,300	\$ 76,200	\$ 12,000	\$ 87,000

One addition to each project could be to install a set of oil reclosers for sectionalizing purposes at the beginning of each work section, at 6<sup>th</sup> and Short St. and/or at First St. one-half block west of Poplar St. at a cost of \$ 12,000 each location.

All material will be owner furnished except stone for backfilling. A prebid meeting could be held at your office, the bidding packages handed out and the successful contractor awarded the work on a predetermined schedule.

Please contact if any questions arise.

Sincerely,

*Glenn Logan*

Glenn Logan  
 Senior Line Design Engineer

RIS#

7760 W. New York Street, Indianapolis, Indiana 46214, (317-273-9841) FAX (317-273-9885)

**UTILITY PROJECT 08-005**  
**NEW WATER SUPPLY WELL**

***BACKGROUND***

One of the constant goals of the Rising Sun Municipal Utilities ("RSMU") is to provide a safe and dependable supply of drinking water to our community. We continually strive to improve the water treatment process and protect our water resources. We are committed to ensuring the quality of the water provided to the City of Rising Sun and surrounding area. Our water source is groundwater pumped from the Ohio River Valley Aquifer. The Water Department has three groundwater wells, which pump, from the Aquifer to supply the City with its water.

All three wells are located in one well field located within the City limits. Well #1, drilled in 1940, is an eight inch diameter well approximately 113 feet deep with a pump rated for 200 GPM. Well #2, drilled in 1945, is also an eight inch diameter well at the same depth and with rated pump capacity of 225 GPM. Well #3, drilled in 1977, is our primary well. It is a twelve inch diameter well approximately 115 feet deep with a pump rated at 500 GPM. Wells #1 and #2 are secondary backup wells in case the primary cannot keep up with water demand or if there is a malfunction with Well #3. The Water Utility Master Plan projects that new wells may need to be drilled to supplement the existing wells and indeed RSMU has planned the area where new wells will be located.

Wells #1 and #2 are in need of some major repairs at this time. We have reached a decision point whether to continue performing what have become periodic overhauls on these wells or abandon the older wells and construct a new well. We have concerns if there were a problem with well #3 and we had a major event such as a large fire emergency well#1 and #2 could not handle the Utility's demand for water.

Since 2001, we have spent \$23,000 between the two older wells. At this time we are pumping an average of 383,000 gallons per day. Billing records indicate that the Grand Victoria Casino & Resort and the Elementary and High Schools account for 27% of our water consumption. Current Plant records indicate a maximum daily usage in 2007 of 657,000 GPD.

In addition, we conduct tests, monitor flows and perform maintenance on all parts of the supply system. One of the various tests that are performed is an annual Flow Test on our groundwater wells. RSMU had this test performed on all three wells in June 2007. I have enclosed the findings of the tests as Exhibit A.

According to the June 2007 Flow Test results, Well #1 is off approximately 39% from the 2002 test when a new pump was installed. Well #2 is off 23% capacity from 2002. The amount quoted to clean and repair the wells is \$9,811 per well.

The City's utilities are among the most important attributes for quality of life, and for stimulating future economic development in the community. Safe, reliable drinking water is something that is essential to our citizens and businesses. It is important that the City continue to make strides



to improve and protect the natural resources. There is a need to sustain the supply and quality of water for the community.

**1. Proposed Budget**

**Use:**

New Water Supply Well

**Amount**  
227,029.00

**Financing Sources:**

Rising Sun Municipal Utilities

City of Rising Sun

Rising Sun Regional Foundation

77,029

75,000

75,000

I have enclosed a copy of a quotation that I received last year to construct a new well as Exhibit B.



Reynolds, Inc.

EXHIBIT A

A Layne Christensen Company

Pipelines • Water Supply Wells • Treatment Systems • Design/Build  
**Inliner** Trenchless Sewer Rehabilitation • **RANNEY** Collector

July 11, 2007

Rising Sun Municipal Utilities  
200 North Walnut Street  
Rising Sun, IN. 42040

Attn: Mr. Trey Clifton

Sub: Annual Well Flow Test

Dear Mr. Clifton,

Attached please find your copies of the well flow tests for your files. The following conditions were reported June 13, 2007:

- Well #1- This pump is designed for 200 gpm @ 310' TDH, it is currently producing 206 gpm @ 246' TDH. This is a 21% loss in capacity. New pump was installed in 2002, the well capacity was 22.9 gpf, currently the well capacity is 14.0 gpf. This is a 39% loss in capacity. This well should be scheduled for maintenance as budget allows.
- Well #2- This pump is designed for 225 gpm @ 270' TDH, it is currently producing 232 gpm @ 222' TDH. This is an 18% loss in capacity. Well capacity in June 2002 was 23.1 gpf at 239 gpm, currently it is 17.9 gpf at 233 gpm. This is a 23% loss in capacity. This well should be scheduled for maintenance as budget allows.
- Well #3- Pump is operating at its design capacity and well specific capacity is holding steady. No maintenance recommended at this time.
- Conclusion- Wells #1 and #2 both require well and pump maintenance. We recommend the wells be chemically cleaned with double disc surge and the pump be cleaned and required as necessary to regain lost capacity. We recommend Well#1 be repaired first since it has the highest capacity loss. We have enclosed proposals for the recommended repairs for your review.

1301-15 E. Main Street • Louisville, KY 40206 • 502/585-1241 • Fax 502/585-4169

Orleans, IN • Middletown, OH • Louisville, KY • Birmingham, AL • Fairburn, GA • Baytown, TX • Indianapolis, IN

www.reynoldsinc.com

Upon review of this report and proposals should you have any questions please contact us at your convenience. We appreciate the opportunity to be of service for your well and pump maintenance needs.

Sincerely,  
Reynolds, Inc.

*Gary Stephenson*

Gary Stephenson  
Sales Representative



# QUOTATION

Reynolds, Inc.  
 1301-15 E. Main Street  
 Louisville, Kentucky 40206  
 Phone: 502/585-1241  
 Fax: 502/585-4169

Date 7-18-07  
 Terms Net 30 Days  
 F.O.B. Job Site  
 Delivery 2 weeks  
 Quotation Expires \_\_\_\_\_

## COMPLETE MUNICIPAL & INDUSTRIAL WATER SYSTEMS

TO: Rising Sun Municipal Utilities  
 200 North Walnut Street  
 Rising Sun, In. 47040  
 Attn: Trey Clifton

Reference: Well #1

Taxes: any sales, use or other tax, which may be imposed on this transaction is not included in the price quoted and shall be paid by the purchaser.

QUANTITY	DESCRIPTION	PRICE
	Reynolds, Inc. proposes to chemically clean your water supply Well #1 by double disc surge blocks as follows:	
	Equipment will be mobilized to the jobsite. The pump unit will be pulled and brought to our shop for inspection. Any necessary repairs will be reported along with their associated costs. Our air lift surge blocks will be installed in the well. Chemicals will be injected through our surge blocks and surging will begin immediately. When the chemicals have been totally spent in the well, they will be air lifted to discharge. Upon completion of the well cleaning the well pump will be reinstalled, a flow test conducted and the unit hooked back on line.	\$1,050.00
	<u>Estimated Hours and Pricing</u>	
40	Field Labor: To pull pump, surge well, reinstall pump and test. Hours 2-man crew with tools, service truck, and crane @ \$160.00 per hour	\$6,400.00
8	Shop Labor: To disassemble and inspect pump and reassemble Hours 1- machinist with tools @ \$60.00 per hour	\$480.00
	<u>Well Redevelopment</u>	
110	Gallons inhibited muriatic acid @ \$3.50 per gallon	\$385.00
20	Gallons sodium hypochlorite @ \$3.60 per gallon	\$72.00
3	Days air compressor rental @ \$125.00 per day	\$375.00
5	Gallons WD-3100 biodispersant @ \$30.00 per gallon	\$150.00
1	Lot neutralizing agents	\$100.00
	Total for well treatment.....	\$7,962.00

ACCEPTANCE: The undersigned accepts the above proposal at the prices shown, subject to any necessary revision in the list of estimated quantities and hereby authorizes and instructs Contractor to proceed with the described work. Purchaser's pumps, motors, parts and/or accessories may be stored by Contractor for thirty (30) days from date of invoice or other written notice from Contractor. After thirty (30) days, disposal of equipment may be made by Contractor without incurring any liability.

Purchaser \_\_\_\_\_ Address \_\_\_\_\_  
 By \_\_\_\_\_ Date \_\_\_\_\_  
 \_\_\_\_\_  
*Say Stephenson*  
 (Contractor)

QUANTITY	DESCRIPTION	PRICE
Est. 14	<b>Pump Repair (if necessary)</b> Shop Labor: To replace worn parts Hours 1 machinist with tools @ \$60.00 per hour	\$840.00
5	<b>Parts</b> 6M wear rings @ \$48.60	\$243.00
1	stainless steel bowl shaft @ \$285.00	\$285.00
7	bowl bushings @ \$28.00 each	\$196.00
5	impeller collets @ \$38.00 each	\$190.00
1	lot grease, paint, miscellaneous shop materials	\$95.00
	Total pump Repair.....	\$1,849.00
	<b>TOTAL QUOTATION</b>	<b>\$9,811.00</b>

Quotation No. \_\_\_\_\_

\_\_\_\_\_  
(Purchaser)

Reynolds, Inc.  
*Gary Stephenson*  
 \_\_\_\_\_  
 (Contractor)











Reynolds, Inc.

A Layne Christensen Company

Pipelines • Water Supply Wells • Treatment Systems • Design/Build  
**Inliner** Trenchless Sewer Rehabilitation • **RANNEY** Collectors

September 6, 2007

Rising Sun Municipal Utilities  
200 North Walnut Street  
Rising Sun, IN 42040

Attention: Mr. Trey Clifton

Subject: New Water Supply Well

Mr. Clifton:

We offer the following budget figure to design and construct a new water supply system for your utility. The system would consist of a new 36" x 16" x 114' gravel wall well, developed and tested; complete 75 horsepower vertical turbine pump rated for 800 gallon per minute and concrete pump pad; a 10' x 20' split face concrete block building with roof hatch, floor drain, exhaust fan, vents, lighting, ect, 8" discharge piping with check valve, gate valve, meter, testing tee, air/vacuum valve, sample tap and pressure guage; 10" ductile iron field piping to tie in at well #3, directional bore under parking lot to east side of Poplar Street; electrical and controls for 75 horsepower pump; site work and startup of equipment and engineering of complete project. Breakdown of cost is as follows:

New water well and water analysis.....	\$50,140.00
75hp vertical turbine pump.....	\$30,580.00
Building and discharge piping.....	\$60,630.00
Field piping and directional boring.....	\$32,288.00
Electrical.....	\$30,666.00
Site work and start up.....	\$9,225.00
Engineering.....	\$13,500.00

TOTAL ESTIMATE \$227,029.00

1301-15 E. Main Street • Louisville, KY 40206 • 502/585-1241 • Fax 502/585-4169

Orleans, IN • Middletown, OH • Louisville, KY • Birmingham, AL • Fairburn, GA • Baytown, TX • Indianapolis, IN

www.reynoldsync.com

If this project became a wage rate project the labor cost for this estimate would increase \$6,500.00. The electrical cost is based on main power being brought to the building by others and does not include SCADA or telemetry equipment. We would be glad to have our electrical contractor visit your site and determine what equipment would be necessary to integrate with your existing equipment. Upon your review of this estimate should you have any questions please contact me at your convenience.

Sincerely,  
REYNOLDS, INC.



Gary Stephenson  
Sales Representative

**Director's Report January 17-February 20**

- ❖ Ocra Grant meeting
- ❖ Ocra Grant meeting
- ❖ Met with Andrea Grimsley
- ❖ Met with Vera Curnow
- ❖ Met with Joyce Tull
- ❖ Met with Bill Dichtl
- ❖ City council meeting
- ❖ Veteran's Tower Committee meeting
- ❖ Veteran's Tower Meeting
- ❖ Veteran's Tower meeting
- ❖ Community Casino meeting
- ❖ Wrote press releases
- ❖ Artists Stipend meeting
- ❖ Implemented media plan for studio tour
- ❖ Met with David Attaway Switzerland County Tourism Director about mutual projects
- ❖ Updated website
- ❖ Met with Barbara Honn
- ❖ Scheduled workshop
- ❖ Met with Jerry Caruso
- ❖ Met with Ed Sullivan and Suzanne Sizer about Art Academy
- ❖ Met with Suzanne Sizer about Arts Academy
- ❖ Spoke with Mayor Marksberry and Peg Dickson about sustainable funding for arts programming in the schools
- ❖ Met with Eric Scudder and reviewed video soundtrack etc
- ❖ Met with Eric Scudder and David Attaway
- ❖ Worked on new tag line
- ❖ Gathered info for IRS hearing
- ❖ Gathered info for State Board of Accounts Annual Report(new)
- ❖ Kent Abraham Historic Landmarks Advisory Committee
- ❖ Initiated Flower pot project in the schools
- ❖ Rising Sun Arts Council meeting
- ❖ Met with David Attaway, Natasha Turner, Angie Satterfield about studio tour
- ❖ Finalized Studio Tour brochure, Big Ten ad
- ❖ Met with Eric Freeman, Executive Director of the Indiana Artisan Development Project and Brian Blackford Director of Development, Indiana Tourism. Took them to meet Rising Sun Artists tour Harps on Main and the Pendleton Art Center.
- ❖ Met with Mary Pierce Brosmer
- ❖ Met with Lane Siekman and Peg Dickson

- ❖ Talked with Joe Grace, Brett Stowell, Radio stations, Jerry Caruso, Jodie Cole, Debbie Abrams, Heather Powell(grant supervisor), Eric Scudder, Dominic Jannazzo, Mike Northcutt, Stephanie Scott, Peg Dickson, Jim Verdin, Suzanne Sizer, Jamon Zeiler, Mona Cook, , Joyce Tull, Lane Siekman , Ken Back Playbill, Ivy Bayer Cincinnati Magazine, Lisa Czerwonka City Beat, Don Ward Madison Roundabout, Connie Smith, and Mary Turner.